

UC INSTRUMENTS CORP. CA6052 Desktop Laser Marking System

**Technical Specifications Ver 1.01
February, 2011**



 UC INSTRUMENTS CORP.

CA6052 Desktop Laser Marking System

The UC INSTRUMENTS CORP. CA6052 is an end-pumped YAG all solid-state air-cooled laser marking system. The high power of laser is enclosed in a Class I safety structure with the marking laser proof glass as window through which it is no harm to observe marking processing. In addition, it has a safety interlock to stop marking in case the enclosure door is accidentally opened. This system has the features of high peak power with a 10 ns pulse duration, compact dimensions and high fine precise marking lines, allowing the marking system to have similar performance to fiber laser systems and leading to wide variety of laser marking applications (e.g., diamond, metal, steel, IC, plastics, package, logo).

The marking system has a high power but invisible infrared laser beam, thus an additional visible lower power guide laser is integrated in the system by coaxially superimposing the guide beam on the marking infrared beam to readily provide navigation for the marking laser beam. With the visible guide light, it is convenient for users to know where the marking laser beam aims at, and to adjust the operation parameters for achieving excellent performance.

Features:

- High peak power
- Short pulse duration
- High fine precise marking lines
- Air-cooled and compact structure
- Stable performance
- Easy to use with user friendly operation interface
- High compatible software

Applications:

- Metals and metal oxides
- Integrated circuits (IC)
- Diamonds
- ABS materials (e.g., electrical appliances shell)
- Inks (e.g., translucent keys, printing products)
- Epoxy resins (e.g., electronic components, packaging, insulation layer)

CA6052 Specifications

Model#	CA6052
Laser wavelength	1064 nm
Laser peak power	~30 kW
Pulse width	10 ns
Repetition frequency	~10 kHz
Workable marking area *	70 mm x70 mm / 110 mm x110 mm
Marking depth	≤0.5 mm
Maximum marking line speed	7000 mm/s
Minimum marking line width	≤0.02 mm
Power consumption	≤0.3 kW
Power requirement	110/220 (VAC/50Hz)
Dimensions	500 mm x 400 mm x 504 mm
Laser guide light	<5mW@635nm

*Note: the workable marking area can be greater when customers have special request.

Marking Examples:



Precious metal



Steel



Aluminum oxide



Brass



Plastics



Plastics

UC INSTRUMENTS CORP.'s Supports, Services and Assistance

UC INSTRUMENTS CORP. provides high performance, high value, affordable instrument solutions for our customers. Our extensive support sources can help you choose right UC INSTRUMENTS CORP.'s products for your specific applications and apply them successfully. Every instrument /system we sell has a global warranty. All of our instruments are with at least 18 months factory warranty.

Our Promises

All of UC INSTRUMENTS CORP.'s instruments and systems meet their advertised performance and functionality. When you select a UC INSTRUMENTS CORP.' product, we can help your product operation with our extensive experiences, and provide the basic measurement assistance for the use of special capabilities.

Contact Information

United States:

UC INSTRUMENTS CORP.

3652 Edison Way
Fremont, CA 94538
USA
Tel: 1-510-366-7353
Fax: 1-510-795-1795
sales@ucinstruments.com
www.ucinstruments.com

Product specifications and descriptions in this documentation subject to change without notice.
Copyright © 2011 UC INSTRUMENTS CORP.
June, 2008

31000021 V1.03